



Windows PowerShell Get-Help on Cmdlet 'Get-AzApiManagementIdentityProvider'

PS:\>Get-HELP Get-AzApiManagementIdentityProvider -Full

NAME

Get-AzApiManagementIdentityProvider

SYNOPSIS

Get the identity provider configuration details.

SYNTAX

```
Get-AzApiManagementIdentityProvider -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Type {Facebook |
Google | Microsoft | Twitter | Aad | AadB2C}
[<CommonParameters>]
```

DESCRIPTION

Get the identity provider configuration details. ClientSecret will not be included into result details. To get client secret, use Get-AzApiManagementIdentityProviderClientSecret .

PARAMETERS

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Instance of PsApiManagementContext. This parameter is required.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Type

<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementIdentityProviderType>

Identifier of a Identity Provider. If specified will try to find identity provider configuration by the identifier. This parameter is optional.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementIdentityProviderType

OUTPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementIdentityProvider

NOTES

----- Example 1: Get all Identity Providers -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Get-AzApiManagementIdentityProvider -Context $apimContext
```

Get all the identity provider Configuration on the service.

----- Example 2: Get the AAD Type Identity Provider -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Get-AzApiManagementIdentityProvider -Context $apimContext -Type Aad
```

Type : Aad
ClientId : aaa
ClientSecret : xxxxx
AllowedTenants : {contosotest.onmicrosoft.com}
Authority : login.microsoftonline.com
SignupPolicyName :
SigninPolicyName :
ProfileEditingPolicyName :
PasswordResetPolicyName :
SigninTenant :
Id :

/subscriptions/a200340d-6b82-494d-9dbf-687ba6e33f9e/resourceGroups/Api-Default-West-US/providers/Microsoft.ApiManagement/service/contoso/identityProviders/Aad

ResourceGroupName : Api-Default-West-US
ServiceName : contoso

Gets the Identity Provider Configuration of Azure Active Directory.

----- Example 3: Get the AAD B2C Type Identity Provider -----

```
$context = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Get-AzApiManagementIdentityProvider -Context $context -Type AadB2C
```

Type : AadB2C
ClientId : f02dfe2-b8b8-48ec-a38e-27e5c16c51e5
ClientSecret : xxxxxx
AllowedTenants : {contosoaad2c.onmicrosoft.com}
Authority : login.microsoftonline.com
SignupPolicyName : B2C_1_policy-signup
SigninPolicyName : B2C_1_policy-signin

ProfileEditingPolicyName :

PasswordResetPolicyName :

SigninTenant : contosoaad2c.onmicrosoft.com

Id :

/subscriptions/a200340d-6b82-494d-9dbf-687ba6e33f9e/resourceGroups/Api-Default-West-US/providers/Microsoft.ApiManagement/service/contoso/identityProviders/AadB2C

ResourceGroupName : Api-Default-West-US

ServiceName : contoso

Gets the Identity Provider Configuration of Azure Active Directory.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/get-azapimanagementidentityprovider>