



Windows PowerShell Get-Help on Cmdlet 'Get-AzApiManagementIdentityProviderClientSecret'

PS:\>Get-HELP Get-AzApiManagementIdentityProviderClientSecret -Full

NAME

Get-AzApiManagementIdentityProviderClientSecret

SYNOPSIS

Get the identity provider client secret.

SYNTAX

```
Get-AzApiManagementIdentityProviderClientSecret -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Type {Facebook |
Google | Microsoft | Twitter | Aad | AadB2C}
[<CommonParameters>]
```

DESCRIPTION

Get the identity provider client secret.

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Instance of PsApiManagementContext. This parameter is required.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Type

<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementIdentityProviderType>

Identifier of a Identity Provider. This parameter is required.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementIdentityProviderType

OUTPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementClientSecret

NOTES

Example 1: Get the client secret of AAD Type Identity Provider

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"
```

```
Get-AzApiManagementIdentityProviderClientSecret -Context $apimContext -Type Aad
```

Gets the client secret of the Identity Provider Configuration of Azure Active Directory.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.apimanagement/get-azapimanagementidentityproviderclientsecret>

