



Windows PowerShell Get-Help on Cmdlet 'Get-AzApiManagementNamedValueSecretValue'

PS:\>Get-HELP Get-AzApiManagementNamedValueSecretValue -Full

NAME

Get-AzApiManagementNamedValueSecretValue

SYNOPSIS

Gets a secret value of the particular Named Value.

SYNTAX

```
Get-AzApiManagementNamedValueSecretValue -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -NamedValueId
<System.String> [<CommonParameters>]
```

DESCRIPTION

Gets a secret value of the particular Named Value.

PARAMETERS

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Instance of `PsApiManagementContext`. This parameter is required.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName, ByValue)
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-NamedValueId <System.String>

Identifier of a the named value. This parameter is required.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.String

OUTPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementNamedValueSecretValue

NOTES

----- Example 1: Get named value by name -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"
```

```
Get-AzApiManagementNamedValueSecretValue -Context $apimContext -NamedValueId "sql-connectionstring"
```

This command gets the named value details given the named value name.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.apimanagement/get-azapimanagementnamedvaluesecretvalue>