



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Get-AzApiManagementTenantAccess'***

**PS:\>Get-HELP Get-AzApiManagementTenantAccess -Full**

#### **NAME**

Get-AzApiManagementTenantAccess

#### **SYNOPSIS**

Gets the access configuration for a tenant.

#### **SYNTAX**

```
Get-AzApiManagementTenantAccess           -Context  
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile  
                                     <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>  
[<CommonParameters>]
```

#### **DESCRIPTION**

The Get-AzApiManagementTenantAccess cmdlet gets the tenant access configuration for a tenant. Keys will not be included into result details. To get client secret, use

Get-AzApiManagementTenantAccessSecret .

## PARAMETERS

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies a PsApiManagementContext object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

## OUTPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementAccessInformation

## NOTES

----- Example 1: Get tenant access configuration -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Get-AzApiManagementTenantAccess -Context $apimContext
```

This command gets the tenant access configuration for the specified context.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/get-azapimanagementtenantaccess>  
`Set-AzApiManagementTenantAccess`