



Windows PowerShell Get-Help on Cmdlet 'Get-AzApiManagementTenantGitAccess'

PS:\>Get-HELP Get-AzApiManagementTenantGitAccess -Full

NAME

Get-AzApiManagementTenantGitAccess

SYNOPSIS

Gets the Git access configuration for a tenant.

SYNTAX

```
Get-AzApiManagementTenantGitAccess -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

DESCRIPTION

The Get-AzApiManagementTenantGitAccess cmdlet gets the Git access configuration for a tenant. Keys will not be included into result details. To get client secret, use

Get-AzApiManagementTenantGitAccessSecret .

PARAMETERS

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies a PsApiManagementContext object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

OUTPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementAccessInformation

NOTES

----- Example 1: Get tenant access configuration -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"
Get-AzApiManagementTenantGitAccess -Context $apimContext
```

Enabled	Id	PrimaryKey	SecondaryKey
---------	----	------------	--------------

-----	-----	-----	-----
True	git	GrPksEiunqn1BgprRvWIZZxUuaRI9vdz0ZFjVBxxx==	OR4wVD//HzaE4Okb6aSdG9zy0O6kHhmfIJBaL9Zwu+Mxxxf9R2ydOslw==

This command gets the Git access configuration for the specified context.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/get-azapimanagementtenantgitaccess>