



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Get-AzApplicationGatewayClientAuthConfiguration'

PS:\>Get-HELP Get-AzApplicationGatewayClientAuthConfiguration -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Get-AzApplicationGatewayClientAuthConfiguration

SYNOPSIS

Gets the client authentication configuration of a SSL profile object.

SYNTAX

Get-AzApplicationGatewayClientAuthConfiguration [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-SslProfile <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewaySslProfile> [<CommonParameters>]

DESCRIPTION

The Get-AzApplicationGatewayClientAuthConfiguration cmdlet gets the client authentication configuration of a SSL profile object.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-SslProfile <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewaySslProfile>

The ssl profile

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewaySslProfile

OUTPUTS

Page 2/3

NOTES

----- Example 1 -----

```
$AppGw = Get-AzApplicationGateway -Name "ApplicationGateway01" -ResourceGroupName "ResourceGroup01"  
$SslProfile = Get-AzApplicationGatewaySslProfile -Name "SslProfile01" -ApplicationGateway $AppGw  
$ClientAuthConfig = Get-AzApplicationGatewayClientAuthConfiguration -SslProfile $SslProfile
```

The first command gets the application gateway named ApplicationGateway01 in the resource group named ResourceGroup01 and stores it in the \$AppGw variable. The second

command gets the SSL profile named SslProfile01 for \$AppGw and stores it \$SslProfile variable. The last command gets the client authentication configuration from the

SSL profile \$SslProfile and stores it in the \$ClientAuthConfig variable.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/get-azapplicationgatewayclientauthconfiguration>

New-AzApplicationGatewayClientAuthConfiguration

Remove-AzApplicationGatewayClientAuthConfiguration

Set-AzApplicationGatewayClientAuthConfiguration