



Windows PowerShell Get-Help on Cmdlet 'Get-AzApplicationGatewayHttpListenerCustomError'

PS:\>Get-HELP Get-AzApplicationGatewayHttpListenerCustomError -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Get-AzApplicationGatewayHttpListenerCustomError

SYNOPSIS

Gets custom error(s) from a http listener of an application gateway.

SYNTAX

```

Get-AzApplicationGatewayHttpListenerCustomError [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-HttpListener <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener> [-StatusCode
<System.String>] [<CommonParameters>]

```

DESCRIPTION

The Get-AzApplicationGatewayCustomError cmdlet gets custom error(s) from a http listener of an application gateway.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-HttpListener <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener>

The Application Gateway Http Listener

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-StatusCode <System.String>

Status code of the application gateway customer error.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayCustomError

NOTES

----- Example 1: Gets a custom error in a http listener -----

```
$ce = Get-AzApplicationGatewayHttpListenerCustomError -HttpListener $listener01 -StatusCode HttpStatus502
```

This command gets and returns the custom error of http status code 502 from the http listener \$listener01.

Example 2: Gets the list of all custom errors in a http listener

```
$ces = Get-AzApplicationGatewayHttpListenerCustomError -HttpListener $listener01
```

This command gets and returns the list of all custom errors from the http listener \$listener01.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/get-azapplicationgatewayhttplistenercustomerror>

Add-AzApplicationGatewayHttpListenerCustomError

Remove-AzApplicationGatewayHttpListenerCustomError

Set-AzApplicationGatewayHttpListenerCustomError