



Windows PowerShell Get-Help on Cmdlet 'Get-AzApplicationGatewayPrivateLinkConfiguration'

PS:\>Get-HELP Get-AzApplicationGatewayPrivateLinkConfiguration -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Get-AzApplicationGatewayPrivateLinkConfiguration

SYNOPSIS

Gets the private link configuration of an application gateway.

SYNTAX

Get-AzApplicationGatewayPrivateLinkConfiguration -ApplicationGateway

<Microsoft.Azure.Commands.Network.Models.PSApplicationGateway> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name

<System.String>] [<CommonParameters>]

DESCRIPTION

The Get-AzApplicationGatewayPrivateLinkConfiguration cmdlet gets the private link configuration of an application gateway.

gateway.

PARAMETERS

-ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway>

The applicationGateway

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The name of the application gateway privateLink configuration

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayPrivateLinkConfiguration

NOTES

---- Example 1 : Get a specified private link configuration ----

```
$AppGw = Get-AzApplicationGateway -Name "ApplicationGateway01" -ResourceGroupName "ResourceGroup01"
$PrivateLinkConfiguration = Get-AzApplicationGatewayPrivateLinkConfiguration -Name "privateLinkConfig01"
-ApplicationGateway $AppGw
```

The first command gets an application gateway named ApplicationGateway01 from the resource group named ResourceGroup01, and stores it in the \$AppGw variable. The

second command gets the private link configuration named privateLinkConfig01 from \$AppGw and stores it in the \$PrivateLinkConfiguration variable.

----- Example 2 : Get a list of private link configuration -----

```
$AppGw = Get-AzApplicationGateway -Name "ApplicationGateway01" -ResourceGroupName "ResourceGroup01"
$PrivateLinkConfigurations = Get-AzApplicationGatewayPrivateLinkConfiguration -ApplicationGateway $AppGw
```

The first command gets an application gateway named ApplicationGateway01 from the resource group named ResourceGroup01, and stores it in the \$AppGw variable. The second command gets all the private link configurations from \$AppGw and stores it in the \$PrivateLinkConfigurations variable.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/get-azapplicationgatewayprivatelinkconfiguration>

New-AzApplicationGatewayPrivateLinkConfiguration

Add-AzApplicationGatewayPrivateLinkConfiguration

Remove-AzApplicationGatewayPrivateLinkConfiguration

Set-AzApplicationGatewayPrivateLinkConfiguration