



Windows PowerShell Get-Help on Cmdlet 'Get-AzApplicationInsightsWorkbook'

PS:\>Get-HELP Get-AzApplicationInsightsWorkbook -Full

NAME

Get-AzApplicationInsightsWorkbook

SYNOPSIS

Get a single workbook by its resourceName.

SYNTAX

Get-AzApplicationInsightsWorkbook [-SubscriptionId <String[]>] [-CanFetchContent] -Category <CategoryType> [-Tag <String[]>] [-DefaultProfile <PSObject>] [-Break]

[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials]

[<CommonParameters>]

Get-AzApplicationInsightsWorkbook -Name <String> -ResourceGroupName <String> [-SubscriptionId <String[]>] [-CanFetchContent] [-DefaultProfile <PSObject>] [-Break]

[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials]

[<CommonParameters>]

```
Get-AzApplicationInsightsWorkbook -ResourceGroupName <String> [-SubscriptionId <String[]>] [-CanFetchContent]
-Category <CategoryType> [-Tag <String[]>]
    [-LinkedSourceId <String>] [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>]
    [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [<CommonParameters>]
```

```
Get-AzApplicationInsightsWorkbook -InputObject <IApplicationInsightsIdentity> [-CanFetchContent] [-DefaultProfile
<PSObject>] [-Break] [-HttpPipelineAppend
    <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [<CommonParameters>]
```

DESCRIPTION

Get a single workbook by its resourceName.

PARAMETERS

-Name <String>

The name of the resource.

Required?	true
-----------	------

Position?	named
-----------	-------

Default value

Accept pipeline input?	false
------------------------	-------

Accept wildcard characters?	false
-----------------------------	-------

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required?	true
-----------	------

Position?	named
-----------	-------

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String[]>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-InputObject <IApplicationInsightsIdentity>

Identity Parameter

To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-CanFetchContent [<SwitchParameter>]

Flag indicating whether or not to return the full content for each applicable workbook.

If false, only return summary content for workbooks.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Category <CategoryType>

Category of workbook to return.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Tag <String[]>

Tags presents on each workbook returned.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-LinkedSourceId <String>

Azure Resource Id that will fetch all linked workbooks.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.ApplicationInsights.Models.IApplicationInsightsIdentity

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.ApplicationInsights.Models.Api20220401.IWorkbook

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

about_Hash_Tables.

INPUTOBJECT <IAApplicationInsightsIdentity>: Identity Parameter

[AnnotationId <String>]: The unique annotation ID. This is unique within a Application Insights component.

[ComponentName <String>]: The name of the Application Insights component resource.

[ExportId <String>]: The Continuous Export configuration ID. This is unique within a Application Insights component.

[Id <String>]: Resource identity path

[KeyId <String>]: The API Key ID. This is unique within a Application Insights component.

[Purgeld <String>]: In a purge status request, this is the Id of the operation the status of which is returned.

[ResourceGroupName <String>]: The name of the resource group. The name is case insensitive.

[ResourceName <String>]: The name of the Application Insights component resource.

[RevisionId <String>]: The id of the workbook's revision.

[StorageType <StorageType?>]: The type of the Application Insights component data source for the linked storage account.

[SubscriptionId <String>]: The ID of the target subscription.

[WebTestName <String>]: The name of the Application Insights WebTest resource.

----- EXAMPLE 1 -----

PS C:\>Get-AzApplicationInsightsWorkbook -Category 'workbook'

----- EXAMPLE 2 -----

```
PS C:\>Get-AzApplicationInsightsWorkbook -ResourceGroupName appinsights-hkrs2v-test -Name  
f7d7151e-7907-4f46-8a5e-6bf4a4cfedec
```

----- EXAMPLE 3 -----

```
PS C:\>$name = (New-Guid).ToString()
```

```
New-AzApplicationInsightsWorkbook -ResourceGroupName appinsights-hkrs2v-test -Name $name -Location westus2  
-DisplayName "$name-display" -SourceId  
"/subscriptions/xxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourcegroups/appinsights-hkrs2v-test/providers/microsoft.insights/  
components/appinsights-48mah3-pwsh" -Category  
'workbook' -SerializedData $null | Get-AzApplicationInsightsWorkbook
```

----- EXAMPLE 4 -----

```
PS C:\>Get-AzApplicationInsightsWorkbook -ResourceGroupName appinsights-hkrs2v-test -Category 'workbook'
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.applicationinsights/get-azapplicationinsightsworkbook>