



Windows PowerShell Get-Help on Cmdlet 'Get-AzAvailablePrivateEndpointType'

PS:\>Get-HELP Get-AzAvailablePrivateEndpointType -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Get-AzAvailablePrivateEndpointType

SYNOPSIS

Return available private end point types in the location.

SYNTAX

```
Get-AzAvailablePrivateEndpointType [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Location  
<System.String> [-ResourceGroupName <System.String>] [<CommonParameters>]
```

DESCRIPTION

The Get-AzAvailablePrivateEndpointType cmdlet returns all available private end point types in the location.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Location <System.String>

The location.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? true

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSAvailablePrivateEndpointType

NOTES

----- Example 1 -----

Get-AzAvailablePrivateEndpointType -Location eastus

```
[
  {
    "id":
    "subscriptions/00000000-0000-0000-0000-000000000000/providers/Microsoft.Network/locations/availablePrivateEndpointTypes/typename1",
    "type": "Microsoft.Network/availablePrivateEndpointType",
    "resourceName": "Microsoft.Sql/servers"
  },
  {
    "id":
    "subscriptions/00000000-0000-0000-0000-000000000000/providers/Microsoft.Network/locations/availablePrivateEndpointTypes/typename2",
```

```

    "type": "Microsoft.Network/availablePrivateEndpointType",
    "resourceName": "Microsoft.Storage/accounts"
  },
  {
    "id":
    "subscriptions/00000000-0000-0000-0000-000000000000/providers/Microsoft.Network/locations/availablePrivateEndpointTypes/typename3",
    "type": "Microsoft.Network/availablePrivateEndpointType",
    "resourceName": "Microsoft.Cosmos/cosmosDbAccounts"
  }
]

```

This example returns all available private end point types in the location.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/get-azavailableprivateendpointtype>