



PowerShell Get-Help on Cmdlet 'Get-AzContainerInstanceContainerGroupOutboundNetworkDependencyEndpoint'

PS:\>Get-HELP Get-AzContainerInstanceContainerGroupOutboundNetworkDependencyEndpoint -Full

NAME

Get-AzContainerInstanceContainerGroupOutboundNetworkDependencyEndpoint

SYNOPSIS

Gets all the network dependencies for this container group to allow complete control of network setting and configuration.
For container groups, this will always be an empty list.

SYNTAX

```
Get-AzContainerInstanceContainerGroupOutboundNetworkDependencyEndpoint -ContainerGroupName <String>
-ResourceGroupName <String> [-SubscriptionId <String[]>]
    [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials] [<CommonParameters>]

Get-AzContainerInstanceContainerGroupOutboundNetworkDependencyEndpoint -InputObject
<IContainerInstanceIdentity> [-DefaultProfile <PSObject>] [-Break]
    [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials]
    [<CommonParameters>]
```

DESCRIPTION

Gets all the network dependencies for this container group to allow complete control of network setting and configuration.

For container groups, this will always be an empty list.

PARAMETERS

-ContainerGroupName <String>

The name of the container group.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String[]>

Subscription credentials which uniquely identify Microsoft Azure subscription.

The subscription ID forms part of the URI for every service call.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-InputObject <IContainerInstanceIdentity>

Identity Parameter

To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.ContainerInstance.Models.IContainerInstanceIdentity

OUTPUTS

System.String

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

about_Hash_Tables.

INPUTOBJECT <IContainerInstanceIdentity>: Identity Parameter

[ContainerGroupName <String>]: The name of the container group.

[ContainerName <String>]: The name of the container instance.

[Id <String>]: Resource identity path

[Location <String>]: The identifier for the physical azure location.

[ResourceGroupName <String>]: The name of the resource group.

[SubnetName <String>]: The name of the subnet.

[SubscriptionId <String>]: Subscription credentials which uniquely identify Microsoft Azure subscription. The subscription ID forms part of the URI for every service call.

[VirtualNetworkName <String>]: The name of the virtual network.

----- EXAMPLE 1 -----

```
PS C:\>Get-AzContainerInstanceContainerGroupOutboundNetworkDependencyEndpoint -ResourceGroupName test-rg  
-ContainerGroupName test-cg
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.containerinstance/get-azcontainerinstancecontainergroupoutboundnetworkdependencyendpoint>