



Windows PowerShell Get-Help on Cmdlet 'Get-AzCosmosDBMongoDBCollectionThroughput'

PS:\>Get-HELP Get-AzCosmosDBMongoDBCollectionThroughput -Full

NAME

Get-AzCosmosDBMongoDBCollectionThroughput

SYNOPSIS

Gets the CosmosDB throughput properties of MongoDB Collection.

SYNTAX

```
Get-AzCosmosDBMongoDBCollectionThroughput -AccountName <System.String> -DatabaseName <System.String>
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name
<System.String>] -ResourceGroupName <System.String> [-Confirm]
[-WhatIf] [<CommonParameters>]

Get-AzCosmosDBMongoDBCollectionThroughput [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
    <Microsoft.Azure.Commands.CosmosDB.Models.PSMongoDBCollectionGetResults> [-Name <System.String>]
[-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Get-AzCosmosDBMongoDBCollectionThroughput cmdlet gets the throughput properties of MongoDB Collection.

PARAMETERS

-AccountName <System.String>

Name of the Cosmos DB database account.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DatabaseName <System.String>

Database name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.CosmosDB.Models.PSMongoDBCollectionGetResults>

If provided then, the cmdlet returns the collection with the corresponding throughput value.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-Name <System.String>

Collection name.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ResourceGroupName <System.String>

Name of resource group.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.CosmosDB.Models.PSMongoDBCollectionGetResults

OUTPUTS

Microsoft.Azure.Commands.CosmosDB.Models.PSThroughputSettingsGetResults

NOTES

```
Get-AzCosmosDBMongoDBCollectionThroughput -ResourceGroupName "rgName" -AccountName "accountName"  
-DatabaseName "databaseName" -Name "collectionName"
```

Name: {throughputName}

Id: {Id}

Throughput: {value}

MinimumThroughput: {value}

OfferReplacePending: {value}

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.cosmosdb/get-azcosmosdbmongodbcollectionthroughput>