



Windows PowerShell Get-Help on Cmdlet 'Get-AzDataBoxEdgeUser'

PS: \>Get-HELP Get-AzDataBoxEdgeUser -Full

NAME

Get-AzDataBoxEdgeUser

SYNOPSIS

Gets the configured users for a device.

SYNTAX

```
Get-AzDataBoxEdgeUser [-ResourceGroupName] <System.String> [-DeviceName] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

```
Get-AzDataBoxEdgeUser [-ResourceGroupName] <System.String> [-DeviceName] <System.String> [-Name]
<System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

```
Get-AzDataBoxEdgeUser [[-Name] <System.String>] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-DeviceObject <Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeDevice>
```

[<CommonParameters>]

Get-AzDataBoxEdgeUser

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-ResourceId

<System.String>

[<CommonParameters>]

DESCRIPTION

The Get-AzDataBoxEdgeUser cmdlet lists the users configured for a Data Box Edge device. You can mention the Name in parameters to get details about a specific user.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeviceName <System.String>

Device Name

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeviceObject <Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeDevice>

Please provide corresponding device object

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Name <System.String>

Username

Required? true
Position? 2
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

Azure ResourceId

Required? true
Position? named
Default value None
Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeDevice

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeUser

NOTES

----- Example 1 -----

Get-AzDataBoxEdgeUser -ResourceGroupName resourceGroupName -DeviceName deviceName

User name	Type	ResourceGroupName	DeviceName
-----------	------	-------------------	------------

-----	---	-----	-----
-------	-----	-------	-------

deviceName	Share	resourceGroupName	deviceName
------------	-------	-------------------	------------

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.databoxedge/get-azdataboxedgeuser>