



Windows PowerShell Get-Help on Cmdlet 'Get-AzDataFactoryV2DataFlowDebugSession'

PS:\>Get-HELP Get-AzDataFactoryV2DataFlowDebugSession -Full

NAME

Get-AzDataFactoryV2DataFlowDebugSession

SYNOPSIS

Get all active data flow debug sessions by Azure Data Factory

SYNTAX

Get-AzDataFactoryV2DataFlowDebugSession [-DataFactory]

<Microsoft.Azure.Commands.DataFactoryV2.Models.PSDataFactory> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

[<CommonParameters>]

Get-AzDataFactoryV2DataFlowDebugSession [-ResourceGroupName] <System.String> [-DataFactoryName]

<System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

[<CommonParameters>]

Get-AzDataFactoryV2DataFlowDebugSession [-ResourceId] <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] </p>
</div>
<div data-bbox="858 951 959 968" data-label="Page-Footer">
<div data-bbox="858 951 959 968" data-label="Page-Footer">
</div>
</div>
</div>

[<CommonParameters>]

DESCRIPTION

List all active data flow debug sessions by Azure Data Factory with details.

PARAMETERS

-DataFactory <Microsoft.Azure.Commands.DataFactoryV2.Models.PSDataFactory>

The data factory object.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DataFactoryName <System.String>

The data factory name.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

The Azure resource ID.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.DataFactoryV2.Models.PSDataFactory

OUTPUTS

Microsoft.Azure.Commands.DataFactoryV2.Models.PSDataFlowDebugSessionInfo

NOTES

Keywords: azure, azurearm, arm, resource, management, manager, data, factories

----- Example 1 -----

Get-AzDataFactoryV2DataFlowDebugSession -ResourceGroupName adf -DataFactoryName WikiADF

SessionId	ComputeType	CoreCount	StartTime	LastActivityTime
TimeToLiveInMinutes				
IntegrationRuntimeName		DataFlowName		
-----	-----	-----	-----	-----
-----	-----			
3c68dbd6-f9c3-4b5f-a200-2310258016a7	General	8	2019-10-04T18:19:58.5550364+00:00	
2019-10-04T18:24:51.3680548+00:00	60			
DebugSession-0a7e0d6e-f2b7-48cc-8cd8-618326f5662f				

Get all active data flow debug sessions in Azure Data Factory "WikiADF".

RELATED LINKS

- Online Version: <https://learn.microsoft.com/powershell/module/az.datafactory/get-azdatafactoryv2dataflowdebugsession>
- Start-AzDataFactoryV2DataFlowDebugSession
- Add-AzDataFactoryV2DataFlowDebugSessionPackage
- Invoke-AzDataFactoryV2DataFlowDebugSessionCommand

