



Windows PowerShell Get-Help on Cmdlet 'Get-AzDataProtectionBackupInstancesExtensionRouting'

PS:\>Get-HELP Get-AzDataProtectionBackupInstancesExtensionRouting -Full

NAME

Get-AzDataProtectionBackupInstancesExtensionRouting

SYNOPSIS

Gets a list of backup instances associated with a tracked resource

SYNTAX

```
Get-AzDataProtectionBackupInstancesExtensionRouting -ResourceId <String> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [<CommonParameters>]
```

DESCRIPTION

Gets a list of backup instances associated with a tracked resource

PARAMETERS

-ResourceId <String>

ARM path of the resource to be protected using Microsoft.DataProtection

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.DataProtection.Models.Api20240401.IBackupInstanceResource

----- EXAMPLE 1 -----

```
PS C:\>$diskARMID = "subscriptions/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxx/resourceGroups/testRG/providers/Microsoft.Compute/disks/testDisk"

Get-AzDataProtectionBackupInstancesExtensionRouting -ResourceId $diskARMID
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.dataprotection/get-azdataprotectionbackupinstancesextensionrouting>

