



Windows PowerShell Get-Help on Cmdlet 'Get-AzDiskEncryptionSetAssociatedResource'

PS:\>Get-HELP Get-AzDiskEncryptionSetAssociatedResource -Full

NAME

Get-AzDiskEncryptionSetAssociatedResource

SYNOPSIS

Gets the list of resources associated with the specified disk encryption set.

SYNTAX

```
Get-AzDiskEncryptionSetAssociatedResource [-ResourceGroupName] <System.String> [-DiskEncryptionSetName]
<System.String> [-DefaultProfile
                                     <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

DESCRIPTION

The Get-AzDiskEncryptionSetAssociatedResource cmdlet gets the list of resources associated with the specified disk encryption set.

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DiskEncryptionSetName <System.String>

Name of disk encryption set.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of a resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? true

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.Uri[]

NOTES

----- Example 1 -----

```
Get-AzDiskEncryptionSetAssociatedResource -ResourceGroupName $RGname -DiskEncryptionSetName  
$diskEncryptionSetName
```

```
/subscriptions/xxxxx-xxx-xx/resourceGroups/exampleResourceGroup/providers/Microsoft.Compute/disks/exampleDisk01
```

```
/subscriptions/xxxxx-xxx-xx/resourceGroups/exampleResourceGroup/providers/Microsoft.Compute/disks/exmapleDisk02
```

The cmdlet retrieves the two resources, 'exampleDisk01' and 'exampleDisk02', associated with the provided Disk Encryption Set

RELATED LINKS