



Windows PowerShell Get-Help on Cmdlet 'Get-AzExpressRouteCircuitPeeringConfig'

PS: \> Get-HELP Get-AzExpressRouteCircuitPeeringConfig -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Get-AzExpressRouteCircuitPeeringConfig

SYNOPSIS

Gets an ExpressRoute circuit peering configuration.

SYNTAX

Get-AzExpressRouteCircuitPeeringConfig [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-ExpressRouteCircuit <Microsoft.Azure.Commands.Network.Models.PSExpressRouteCircuit> [-Name <System.String>]

[<CommonParameters>]

DESCRIPTION

The Get-AzExpressRouteCircuitPeeringConfig cmdlet retrieves the configuration of a peering relationship for an

ExpressRoute circuit.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ExpressRouteCircuit <Microsoft.Azure.Commands.Network.Models.PSExpressRouteCircuit>

The ExpressRoute circuit object containing the peering configuration.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

The name of the peering configuration to be retrieved.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSExpressRouteCircuit

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSPeering

NOTES

Example 1: Display the peering configuration for an ExpressRoute circuit

```
$ckt = Get-AzExpressRouteCircuit -Name $CircuitName -ResourceGroupName $RG  
Get-AzExpressRouteCircuitPeeringConfig -Name "AzurePrivatePeering" -ExpressRouteCircuit $ckt
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/get-azexpressroutecircuitpeeringconfig>

Add-AzExpressRouteCircuitPeeringConfig

New-AzExpressRouteCircuitPeeringConfig

Remove-AzExpressRouteCircuitPeeringConfig

