



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Get-AzExpressRouteCrossConnectionPeering'

**PS:\
Get-HELP Get-AzExpressRouteCrossConnectionPeering -Full**

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Get-AzExpressRouteCrossConnectionPeering

SYNOPSIS

Gets an ExpressRoute cross connection peering configuration.

SYNTAX

Get-AzExpressRouteCrossConnectionPeering [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-ExpressRouteCrossConnection <Microsoft.Azure.Commands.Network.Models.PSExpressRouteCrossConnection>

[-Name <System.String>] [<CommonParameters>]

DESCRIPTION

The Get-AzExpressRouteCrossConnectionPeering cmdlet retrieves the configuration of a peering relationship for an

ExpressRoute cross connection.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ExpressRouteCrossConnection <Microsoft.Azure.Commands.Network.Models.PSExpressRouteCrossConnection>

The ExpressRoute cross connection object containing the peering configuration.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

The name of the peering configuration to be retrieved.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

Page 2/4

ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

PSExpressRouteCrossConnection

Parameter 'ExpressRouteCrossConnection' accepts value of type 'PSExpressRouteCrossConnection' from the pipeline

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSPeering

NOTES

Example 1: Display the peering configuration for an ExpressRoute cross connection

```
$cc = Get-AzExpressRouteCrossConnection -Name $CrossConnectionName -ResourceGroupName $RG  
Get-AzExpressRouteCrossConnectionPeering -Name "AzurePrivatePeering" -ExpressRouteCrossConnection $cc
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/get-azexpressroutecrossconnectionpeering>

Add-AzExpressRouteCrossConnectionPeering

Remove-AzExpressRouteCrossConnectionPeering

Get-AzExpressRouteCrossConnection

Set-AzExpressRouteCrossConnection