



Windows PowerShell Get-Help on Cmdlet 'Get-AzFederatedIdentityCredential'

PS:\>Get-HELP Get-AzFederatedIdentityCredential -Full

NAME

Get-AzFederatedIdentityCredential

SYNOPSIS

Gets the federated identity credential.

SYNTAX

```
Get-AzFederatedIdentityCredential -IdentityName <String> -ResourceGroupName <String> [-SubscriptionId <String[]>]
[-Skiptoken <String>] [-Top <Int32>]
[-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials] [<CommonParameters>]

Get-AzFederatedIdentityCredential -IdentityName <String> -Name <String> -ResourceGroupName <String>
[-SubscriptionId <String[]>] [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials]
[<CommonParameters>]
```

```
Get-AzFederatedIdentityCredential -InputObject <IManagedServiceIdentity> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [<CommonParameters>]
```

DESCRIPTION

Gets the federated identity credential.

PARAMETERS

-IdentityName <String>

The name of the identity resource.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

The name of the federated identity credential resource.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-SubscriptionId <String[]>

The Id of the Subscription to which the identity belongs.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-InputObject <IManagedServiceIdentity>

Identity Parameter

To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

Required? true
Position? named
Default value
Accept pipeline input? true (ByValue)
Accept wildcard characters? false

-Skiptoken <String>

A skip token is used to continue retrieving items after an operation returns a partial result.

If a previous response contains a nextLink element, the value of the nextLink element will include a skipToken parameter that specifies a starting point to use for subsequent calls.

Required? false
Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Top <Int32>

Number of records to return.

Required? false

Position? named

Default value 0

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.ManagedServiceIdentity.Models.IManagedServiceIdentity

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.ManagedServiceIdentity.Models.Api20230131.IFederatedIdentityCredential

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

about_Hash_Tables.

INPUTOBJECT <IManagedServiceIdentity>: Identity Parameter

[FederatedIdentityCredentialResourceName <String>]: The name of the federated identity credential resource.

[Id <String>]: Resource identity path

[ResourceGroupName <String>]: The name of the Resource Group to which the identity belongs.

[ResourceName <String>]: The name of the identity resource.

[Scope <String>]: The resource provider scope of the resource. Parent resource being extended by Managed Identities.

[SubscriptionId <String>]: The Id of the Subscription to which the identity belongs.

----- EXAMPLE 1 -----

```
PS C:\>Get-AzFederatedIdentityCredential -ResourceGroupName azure-rg-test -IdentityName uai-pwsh01
```

----- EXAMPLE 2 -----

```
PS C:\>Get-AzFederatedIdentityCredential -ResourceGroupName azure-rg-test -IdentityName uai-pwsh01 -Name  
fic-pwsh01
```

----- EXAMPLE 3 -----

```
PS C:\>New-AzFederatedIdentityCredential -ResourceGroupName azure-rg-test -IdentityName uai-pwsh01 `
```

```
-Name fic-pwsh03 -Issuer "https://kubernetes-oidc.azure.com" -Subject "system:serviceaccount-3:ns:svcaccount" `
| Get-AzFederatedIdentityCredential
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.managedserviceidentity/get-azfederatedidentitycredential>