



Windows PowerShell Get-Help on Cmdlet 'Get-AzFrontDoorFrontendEndpoint'

PS: \>Get-HELP Get-AzFrontDoorFrontendEndpoint -Full

NAME

Get-AzFrontDoorFrontendEndpoint

SYNOPSIS

Get a front door frontend endpoint.

SYNTAX

```

Get-AzFrontDoorFrontendEndpoint [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -FrontDoorName
<System.String> [-Name <System.String>] -ResourceGroupName <System.String> [<CommonParameters>]

Get-AzFrontDoorFrontendEndpoint [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -FrontDoorObject
<Microsoft.Azure.Commands.FrontDoor.Models.PSFrontDoor> [-Name <System.String>] [<CommonParameters>]

Get-AzFrontDoorFrontendEndpoint [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String> [<CommonParameters>]
```

DESCRIPTION

The Get-AzFrontDoorFrontendEndpoint cmdlet gets all existing frontend endpoints in the current Front Door resource that matches provided information.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-FrontDoorName <System.String>

Front Door name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-FrontDoorObject <Microsoft.Azure.Commands.FrontDoor.Models.PSFrontDoor>

The FrontDoor object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Frontend endpoint name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource Id of the Front Door

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.FrontDoor.Models.PSFrontendEndpoint

NOTES

Example 1: Get all frontend endpoints in Front Door "frontdoor1" which is part of resource group "rg1".

```
Get-AzFrontDoorFrontendEndpoint -ResourceGroupName "rg1" -FrontDoorName "frontdoor1"
```

HostName : frontdoor1.azurefd.net

SessionAffinityEnabledState : Disabled

SessionAffinityTtlSeconds : 0

WebApplicationFirewallPolicyLink :

Backends :

CustomHttpsProvisioningState : Disabled

CustomHttpsProvisioningSubstate : None

CertificateSource :

ProtocolType :

Vault :

SecretName :

SecretVersion :

CertificateType :

ResourceState : Enabled
Id : /subscriptions/{guid}/resourcegroups/resourcegroup1
/providers/Microsoft.Network/frontdoors/frontdoor1/frontendendpoints/frontdoor1-azurefd-net
Name : frontdoor1-azurefd-net
Type : Microsoft.Network/frontdoors/frontendendpoints

HostName : frontendpointname1.custom.xyz

SessionAffinityEnabledState : Disabled

SessionAffinityTtlSeconds : 0

WebApplicationFirewallPolicyLink :

Backends :

CustomHttpsProvisioningState : Disabled

CustomHttpsProvisioningSubstate : None

CertificateSource :

ProtocolType :

Vault :

SecretName :

SecretVersion :

CertificateType :

ResourceState : Enabled

Id : /subscriptions/{guid}/resourcegroups/resourcegroup1

/providers/Microsoft.Network/frontdoors/frontdoor1/frontendendpoints/frontendpointname1-custom-xyz

Name : frontendpointname1-custom-xyz

Type : Microsoft.Network/frontdoors/frontendendpoints

Get all frontend endpoints in Front Door "frontdoor1" which is part of resource group "rg1".

Example 2: Get frontend endpoint with name "frontdoor1-azurefd-net" in Front Door "frontdoor1" which is part of resource group "rg1"

"frontdoor1-azurefd-net"

HostName : frontdoor1.azurefd.net

SessionAffinityEnabledState : Disabled

SessionAffinityTtlSeconds : 0

WebApplicationFirewallPolicyLink :

Backends :

CustomHttpsProvisioningState : Disabled

CustomHttpsProvisioningSubstate : None

CertificateSource :

ProtocolType :

Vault :

SecretName :

SecretVersion :

CertificateType :

ResourceState : Enabled

Id : /subscriptions/{guid}/resourcegroups/resourcegroup1
/providers/Microsoft.Network/frontdoors/frontdoor1/frontendendpoints/frontdoor1-azurefd-net

Name : frontdoor1-azurefd-net

Type : Microsoft.Network/frontdoors/frontendendpoints

Get frontend endpoint with name "frontdoor1-azurefd-net" in Front Door "frontdoor1" which is part of resource group "rg1"

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.frontdoor/get-azfrontdoorfrontendendpoint>