



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Get-AzLocation'***

**PS:\>Get-HELP Get-AzLocation -Full**

#### **NAME**

Get-AzLocation

#### **SYNOPSIS**

Gets all locations and the supported resource providers for each location.

#### **SYNTAX**

Get-AzLocation [-ApiVersion <System.String>] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-ExtendedLocation <System.Nullable`1[System.Boolean]>] [-Pre] [<CommonParameters>]

#### **DESCRIPTION**

The Get-AzLocation cmdlet gets all locations and the supported resource providers for each location.

#### **PARAMETERS**

-ApiVersion <System.String>

Specifies the API version that is supported by the resource Provider. You can specify a different version than the default.

default version.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-ExtendedLocation <System.Nullable`1[System.Boolean]>

Whether to include extended locations.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-Pre <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet considers pre-release API versions when it automatically determines which version to use.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### INPUTS

None

#### OUTPUTS

Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSResourceProviderLocation

#### NOTES

Example 1: Get all locations and the supported resource providers

Get-AzLocation

This command gets all locations and the supported resource providers for each location.

Example 2: Get all locations supporting resource provider Microsoft.AppConfiguration

Get-AzLocation | Where-Object {\$\_.Providers -contains "Microsoft.AppConfiguration"}

```
Location : eastasia
DisplayName : East Asia
Providers : {Microsoft.Devices, Microsoft.Cache, Microsoft.AppConfiguration, microsoft.insights.}
```

```
Location : southeastasia
DisplayName : Southeast Asia
Providers : {Microsoft.Devices, Microsoft.Cache, Microsoft.AppConfiguration, microsoft.insights.}
```

```
Location : centralus
DisplayName : Central US
Providers : {Microsoft.Devices, Microsoft.Cache, Microsoft.AppConfiguration, microsoft.insights.}
```

...

This example gets all locations which supports resource provider "Microsoft.AppConfiguration".

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.resources/get-azlocation>