



Windows PowerShell Get-Help on Cmdlet 'Get-AzLogicAppRunHistory'

PS:\>Get-HELP Get-AzLogicAppRunHistory -Full

NAME

Get-AzLogicAppRunHistory

SYNOPSIS

Gets the run history of a logic app.

SYNTAX

```
Get-AzLogicAppRunHistory [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-FollowNextPageLink]  
[-MaximumFollowNextPageLink <System.Int32>] -Name <System.String> -ResourceGroupName <System.String>  
[-RunName <System.String>] [<CommonParameters>]
```

DESCRIPTION

The Get-AzLogicAppRunHistory cmdlet gets the run history of a logic app. This cmdlet returns a collection of WorkflowRun objects. Specify the logic app and resource

group. This module supports dynamic parameters. To use a dynamic parameter, type it in the command. To discover the names of dynamic parameters, type a hyphen (-)

after the cmdlet name, and then press the Tab key repeatedly to cycle through the available parameters. If you omit a

required template parameter, the cmdlet prompts

you for the value.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-FollowNextPageLink <System.Management.Automation.SwitchParameter>

Indicates the cmdlet should follow next page links.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-MaximumFollowNextPageLink <System.Int32>

Specifies how many times to follow next page links if FollowNextPageLink is used.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the logic app for which this cmdlet gets run history.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ResourceGroupName <System.String>

Specifies the name of a resource group that contains the logic app.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-RunName <System.String>

Specifies the run name of a logic app. This cmdlet gets the workflow run that this cmdlet specifies.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

System.String

OUTPUTS

Microsoft.Azure.Management.Logic.Models.WorkflowRun

NOTES

----- Example 1: Get the run history of a logic app -----

Get-AzLogicAppRunHistory -ResourceGroupName "Resourcegroup11" -Name "LogicApp03"

CorrelationId : 55830326-9042-404d-a4c3-fab198106a57

EndTime : 1/13/2016 2:46:55 PM

Error : {code, message}

Name : 08587489104702792076

Outputs : {}

StartTime : 1/13/2016 2:46:55 PM

Status : Failed

TriggerName :

LogicAppName : LogicApp03

LogicAppVersion : 08587489107859952540

CorrelationId : d3ddc917-9aaa-47b3-8814-c621c2ae530b

EndTime : 1/13/2016 2:42:56 PM

Error : {code, message}

Name : 08587489107100664541

Outputs : {}
StartTime : 1/13/2016 2:42:55 PM
Status : Failed
TriggerName : httpTrigger
LogicAppName : LogicApp03
LogicAppVersion : 08587489107859952120

This command gets the run history of a logic app named LogicApp03.

----- Example 2: Get a logic app run -----

```
Get-AzLogicAppRunHistory -ResourceGroupName "Resourcegroup11" -Name "LogicApp03" -RunName  
"08587489104702792076"
```

CorrelationId : 55830326-9042-404d-a4c3-fab198106a57
EndTime : 1/13/2016 2:46:55 PM
Error : {code, message}
Name : 08587489104702792076
Outputs : {}
StartTime : 1/13/2016 2:46:55 PM
Status : Failed
TriggerName :
LogicAppName : LogicApp03
LogicAppVersion : 08587489107859952120

This command gets a specific logic app run for the logic app named LogicApp03.

----- Example 3 -----

```
Get-AzLogicAppRunHistory -Name 'LogicApp03' -ResourceGroupName MyResourceGroup -FollowNextPageLink
```

This command gets the entire run history of a logic app named LogicApp03 by following the NextPageLink.

----- Example 4 -----

```
Get-AzLogicAppRunHistory -Name 'LogicApp03' -ResourceGroupName MyResourceGroup -FollowNextPageLink  
-MaximumFollowNextPageLink 1
```

This command gets the first two pages of run history of a logic app named LogicApp03 by following the NextPageLink and limiting the result size to two pages. Each page contains thirty results.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/get-azlogicapprunhistory>

Get-AzLogicAppRunAction

Start-AzLogicApp

Stop-AzLogicAppRun