



Windows PowerShell Get-Help on Cmdlet 'Get-AzLogicAppTrigger'

PS:\>Get-HELP Get-AzLogicAppTrigger -Full

NAME

Get-AzLogicAppTrigger

SYNOPSIS

Gets the triggers of a logic app.

SYNTAX

```
Get-AzLogicAppTrigger [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>  
  
-ResourceGroupName <System.String> [-TriggerName <System.String>] [<CommonParameters>]
```

DESCRIPTION

The Get-AzLogicAppTrigger cmdlet gets triggers from a logic app. This cmdlet returns a WorkflowTrigger object. Specify the workflow, resource group, and trigger. This

module supports dynamic parameters. To use a dynamic parameter, type it in the command. To discover the names of dynamic parameters, type a hyphen (-) after the

cmdlet name, and then press the Tab key repeatedly to cycle through the available parameters. If you omit the parameter

template parameter, the cmdlet prompts you for the value.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the logic app from which this cmdlet gets a trigger.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of a resource group in which this cmdlet gets a trigger.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TriggerName <System.String>

Specifies the name of the trigger that this cmdlet gets.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Management.Logic.Models.WorkflowTrigger

NOTES

----- Example 1: Get a trigger of a logic app -----

Get-AzLogicAppTrigger -ResourceGroupName "ResourceGroup11" -Name "LogicApp05" -TriggerName "Trigger01"

ChangedTime : 1/14/2016 11:45:07 AM
CreatedTime : 1/13/2016 2:42:26 PM
LastExecutionTime : 1/14/2016 11:45:07 AM
Name : Trigger01
NextExecutionTime : 1/14/2016 12:45:07 PM
RecurrenceFrequency : Minute
RecurrenceInterval : 60
Status : Waiting
Type : Microsoft.Logic/workflows/triggers
LogicAppName : LogicApp05
LogicAppVersion : 08587489107406290826

This command gets the trigger named Trigger01 from the logic app named LogicApp05.

----- Example 2: Get all triggers of a logic app -----

Get-AzLogicAppTrigger -ResourceGroupName "ResourceGroup11" -Name "LogicApp07"

ChangedTime : 1/14/2016 11:45:07 AM
CreatedTime : 1/13/2016 2:42:26 PM
LastExecutionTime : 1/14/2016 11:45:07 AM
Name : Trigger02
NextExecutionTime : 1/14/2016 12:45:07 PM
RecurrenceFrequency : Minute
RecurrenceInterval : 60
Status : Waiting
Type : Microsoft.Logic/workflows/triggers
LogicAppName : LogicApp07
LogicAppVersion : 08587489107406290826

This command gets the triggers of the logic app named LogicApp07.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/get-azlogicapptrigger>

[Get-AzLogicAppTriggerHistory](#)

[Start-AzLogicApp](#)