



Windows PowerShell Get-Help on Cmdlet 'Get-AzRecoveryServicesAsrFabric'

PS:\>Get-HELP Get-AzRecoveryServicesAsrFabric -Full

NAME

Get-AzRecoveryServicesAsrFabric

SYNOPSIS

Get the details of an Azure Site Recovery Fabric.

SYNTAX

```
Get-AzRecoveryServicesAsrFabric [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -FriendlyName  
<System.String> [<CommonParameters>]
```

```
Get-AzRecoveryServicesAsrFabric [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>  
  
[<CommonParameters>]
```

DESCRIPTION

The Get-AzRecoveryServicesAsrFabric cmdlet gets the properties of a specified Azure Site Recovery Fabric **Page 1/1**

vault.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-FriendlyName <System.String>

Search for the ASR fabric by the friendly name of the fabric.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Search for the ASR fabric by the name of the fabric.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric

NOTES

----- Example 1 -----

```
$fabrics = Get-AzRecoveryServicesAsrFabric
```

Returns all the Azure Site Recovery fabrics in the vault.

----- Example 2 -----

```
$fabric = Get-AzRecoveryServicesAsrFabric -Name xxxx
```

Name : xxxx

FriendlyName : XXXXXXXXXXXX

ID

:

/Subscriptions/XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX/resourceGroups/canaryexproute/providers/Microsoft.RecoveryServices/vaults/XXXXXXXXXXXXX/repl

icationFabrics/XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

FabricType : VMware

SiteIdentifier : XXXXXXXXxxxxxxxxxxxx

FabricSpecificDetails : Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRVMWareSpecificDetails

Return azure site recovery fabric with name xxxx.

----- Example 3 -----

\$fabric = Get-AzRecoveryServicesAsrFabric -FriendlyName XXXXXXXXXX

Name : xxxx

FriendlyName : XXXXXXXXXX

ID

:

/Subscriptions/XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX/resourceGroups/canaryexproute/providers/Microsoft.RecoveryServices/vaults/XXXXXXXXXXXXX/repl

icationFabrics/XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

FabricType : VMware

SiteIdentifier : XXXXXXXXxxxxxxxxxxxx

FabricSpecificDetails : Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRVMWareSpecificDetails

Return azure site recovery fabric with friendly name xxxx.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.recoveryservices/get-azrecoveryservicesasrfabric>

New-AzRecoveryServicesAsrFabric

Remove-AzRecoveryServicesAsrFabric

