



Windows PowerShell Get-Help on Cmdlet 'Get-AzRecoveryServicesAsrServicesProvider'

PS:\>Get-HELP Get-AzRecoveryServicesAsrServicesProvider -Full

NAME

Get-AzRecoveryServicesAsrServicesProvider

SYNOPSIS

Gets the details of the ASR recovery services providers registered to the Recovery Services vault.

SYNTAX

```

Get-AzRecoveryServicesAsrServicesProvider [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Fabric
    <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric> -FriendlyName <System.String>
[<CommonParameters>]

```

```

Get-AzRecoveryServicesAsrServicesProvider [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Fabric
    <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric> -Name <System.String>
[<CommonParameters>]

```

The Get-AzRecoveryServicesAsrServicesProvider cmdlet gets information on the Azure Site Recovery providers in the vault.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Fabric <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric>

Specifies the ASR fabric object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-FriendlyName <System.String>

Specifies the friendly name of the ASR recovery services provider to get details for.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the ASR recovery services provider to get details for.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryServicesProvider

NOTES

----- Example 1 -----

\$RSPs = Get-AzRecoveryServicesAsrFabric | Get-AzRecoveryServicesAsrServicesProvider

List all ASR replication services providers registered to the Recovery Services vault corresponding to the specified fabric.

----- Example 2 -----

Get-AzRecoveryServicesAsrServicesProvider -Fabric \$Fabric

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.recoveryservices/get-azrecoveryservicesasrservicesprovider>

Remove-AzRecoveryServicesAsrServicesProvider

Update-AzRecoveryServicesAsrServicesProvider