



Windows PowerShell Get-Help on Cmdlet 'Get-AzRecoveryServicesAsrVaultContext'

PS:\>Get-HELP Get-AzRecoveryServicesAsrVaultContext -Full

NAME

Get-AzRecoveryServicesAsrVaultContext

SYNOPSIS

Gets ASR vault settings information for the Recovery Services vault.

SYNTAX

Get-AzRecoveryServicesAsrVaultContext [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[<CommonParameters>]

DESCRIPTION

The Get-AzRecoveryServicesAsrVaultContext cmdlet gets ASR vault settings information related to the Recovery Services vault.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRVaultSettings

NOTES

----- Example 1 -----

```
$VaultSettings = Get-AzRecoveryServicesAsrVaultContext
```

Gets the ASR vault settings for the currently active(in the PowerShell session) Recovery Services vault.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.recoveryservices/get-azrecoveryservicesasrvaultcontext>