



## ***Windows PowerShell Get-Help on Cmdlet 'Get-AzResourceGroupDeploymentOperation'***

***PS:\>Get-HELP Get-AzResourceGroupDeploymentOperation -Full***

### NAME

Get-AzResourceGroupDeploymentOperation

### SYNOPSIS

Gets the resource group deployment operation

### SYNTAX

```
Get-AzResourceGroupDeploymentOperation [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -DeploymentName  
<System.String> [-Pre] -ResourceGroupName <System.String> [<CommonParameters>]
```

### DESCRIPTION

The Get-AzResourceGroupDeploymentOperation cmdlet lists all the operations that were part of a deployment to help you identify and give more information about the

exact operations that failed for a particular deployment. It can also show the response and the request content for each deployment operation. This is the same

information provided in the deployment details on the portal. To get the request and the response content, enable the setting when submitting a deployment through

New-AzResourceGroupDeployment . It can potentially log and expose secrets like passwords used in the resource property or listKeys operations that are then returned

when you retrieve the deployment operations. For more on this setting and how to enable it, see New-AzResourceGroupDeployment and Debugging ARM template deployments

## PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeploymentName <System.String>

The deployment name.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Pre <System.Management.Automation.SwitchParameter>

When set, indicates that the cmdlet should use pre-release API versions when automatically determining which version to use.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

System.String

System.Nullable`1[[System.Guid, System.Private.CoreLib, Version=4.0.0.0, Culture=neutral, PublicKeyToken=7cec85d7bea7798e]]

## OUTPUTS

Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDeploymentOperation

## NOTES

----- Example 1: Get1 -----

```
Get-AzResourceGroupDeploymentOperation -DeploymentName test -ResourceGroupName test
```

Gets deployment operation with name "test" under resource group "test"

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.resources/get-azresourcegroupdeploymentoperation>