



Windows PowerShell Get-Help on Cmdlet 'Get-AzRouteServerPeer'

PS:\>Get-HELP Get-AzRouteServerPeer -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Get-AzRouteServerPeer

SYNOPSIS

Gets a RouteServer peer in an Azure RouteServer

SYNTAX

```
Get-AzRouteServerPeer [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -PeerName  
<System.String>  
-ResourceGroupName <System.String> -RouteServerName <System.String> [<CommonParameters>]
```

```
Get-AzRouteServerPeer [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId  
<System.String>
```

Page 1/4

[<CommonParameters>]

DESCRIPTION

The Get-AzRouteServerPeer cmdlet gets a Peer in an Azure RouteServer

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PeerName <System.String>

The name of the route server peer.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? true

-ResourceGroupName <System.String>

The resource group name of the route server.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? true

-ResourceId <System.String>

ResourceId of the route server peer.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-RouteServerName <System.String>

The name of the route server.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? true

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSRouteServerPeer

NOTES

----- Example 1 -----

```
Get-AzRouteServerPeer -ResourceGroupName routeServerRG -RouteServerName routeServer -PeerName peer
```

----- Example 2 -----

```
$routeServerPeerId =
```

```
'/subscriptions/8c992d64-fce9-426d-b278-85642dfeab03/resourceGroups/routeServerRG/providers/Microsoft.Network/virtualHubs/routeServer/bgpConnections/peer'
```

```
Get-AzRouteServerPeer -ResourceId $routeServerPeerId
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/get-azrouteserverpeer>