



Windows PowerShell Get-Help on Cmdlet 'Get-AzSecuritySetting'

PS:\>Get-HELP Get-AzSecuritySetting -Full

NAME

Get-AzSecuritySetting

SYNOPSIS

Get security settings in Azure Security Center

SYNTAX

```

Get-AzSecuritySetting [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-SettingName <System.String>] [<CommonParameters>]

```

DESCRIPTION

The Get-AzSecuritySetting cmdlet get security settings in Azure Security Center.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-SettingName <System.String>

Setting name. (MCAS/WDATP/Sentinel)

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Security.Models.Settings.PSSecuritySetting

Microsoft.Azure.Commands.Security.Models.Settings.PSSecurityAlertSyncSettings

NOTES

----- Example 1 -----

Get-AzSecuritySetting -SettingName "MCAS"

Id: "/subscriptions/487bb485-b5b0-471e-9c0d-10717612f869/providers/Microsoft.Security/settings/MCAS"

Name: "MCAS"

Type: "Microsoft.Security/settings"

Enabled: true

Gets an MCAS data export setting

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.security/Get-AzSecuritySetting>