



Windows PowerShell Get-Help on Cmdlet 'Get-AzSecuritySubAssessment'

PS:\>Get-HELP Get-AzSecuritySubAssessment -Full

NAME

Get-AzSecuritySubAssessment

SYNOPSIS

Gets sub assessments results in a subscription.

SYNTAX

```
Get-AzSecuritySubAssessment [-AssessedResourceId <System.String>] [-DefaultProfile  
                             <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]  
[<CommonParameters>]
```

```
Get-AzSecuritySubAssessment [-AssessedResourceId <System.String>] [-DefaultProfile  
                             <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name  
<System.String> [<CommonParameters>]
```

```
Get-AzSecuritySubAssessment [-AssessedResourceId <System.String>] -AssessmentName <System.String>  
[-DefaultProfile  
                  <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name  
<System.String> [<CommonParameters>]
```

```

Get-AzSecuritySubAssessment [-AssessedResourceId <System.String>] -AssessmentName <System.String>
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]

```

```

Get-AzSecuritySubAssessment [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
    -ResourceId
    <System.String>
    [<CommonParameters>]

```

DESCRIPTION

Gets sub assessments results in a subscription.

PARAMETERS

-AssessedResourceId <System.String>

Full resource ID of the resource that the assessment is calculated on.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-AssessmentName <System.String>

Name of the assessment resource.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Resource name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

ID of the security resource that you want to invoke the command on.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Security.Models.SubAssessments.PSSecuritySubAssessment

NOTES

----- Example 1 -----

Get-AzSecuritySubAssessment

Gets all the sub assessments results in a subscription.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.security/Get-AzSecuritySubAssessment>