



Windows PowerShell Get-Help on Cmdlet 'Get-AzServiceFabricApplication'

PS:\>Get-HELP Get-AzServiceFabricApplication -Full

NAME

Get-AzServiceFabricApplication

SYNOPSIS

Get Service Fabric application details. Only supports ARM deployed applications.

SYNTAX

```
Get-AzServiceFabricApplication [-ResourceGroupName] <System.String> [-ClusterName] <System.String>
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

```
Get-AzServiceFabricApplication [-ResourceGroupName] <System.String> [-ClusterName] <System.String> [-Name]
<System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

```
Get-AzServiceFabricApplication [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-ResourceId
```

<System.String>

[<CommonParameters>]

DESCRIPTION

This cmdlet gets the application details in the specified resource group and cluster.

PARAMETERS

-ClusterName <System.String>

Specify the name of the cluster.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specify the name of the application.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specify the name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

Arm ResourceId of the application.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

NOTES

----- Example 1 -----

```
$resourceGroupName = "testRG"
```

```
$clusterName = "testCluster"
```

```
$appName = "testApp"
```

```
Get-AzServiceFabricApplication -ResourceGroupName $resourceGroupName -ClusterName $clusterName -Name  
$appName
```

This example gets the application resource details for the application "testApp".

----- Example 2 -----

```
$resourceGroupName = "testRG"
```

```
$clusterName = "testCluster"
```

```
Get-AzServiceFabricApplication -ResourceGroupName $resourceGroupName -ClusterName $clusterName
```

This example gets a list of the applications under the cluster "testCluster".

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.servicefabric/get-azservicefabricapplication>

