



Windows PowerShell Get-Help on Cmdlet 'Get-AzSignalR'

PS:\>Get-HELP Get-AzSignalR -Full

NAME

Get-AzSignalR

SYNOPSIS

Get a specific SignalR service or all the SignalR services in a resource group or a subscription.

SYNTAX

```
Get-AzSignalR [-Name] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-ResourceGroupName
<System.String>] [<CommonParameters>]
```

```
Get-AzSignalR [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-ResourceGroupName
<System.String>]
[<CommonParameters>]
```

```
Get-AzSignalR [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String>
```

[<CommonParameters>]

DESCRIPTION

Get a specific SignalR service or all the SignalR services in a resource group or a subscription.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

SignalR service name.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

The SignalR service resource ID.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.SignalR.Models.PSSignalRResource

NOTES

----- Get all SignalR services in the subscription -----

Get-AzSignalR

HostName	Location	ServerPort	PublicPort	ProvisioningState	Version
-----	-----	-----	-----	-----	-----
mysignalr1.service.signalr.net	eastus	5002	5001	Succeeded	1.0
mysignalr2.service.signalr.net	eastus	5002	5001	Succeeded	1.0
mysignalr3.service.signalr.net	eastus	5002	5001	Creating	1.0

----- Get all SignalR services in a resource group -----

Get-AzSignalR -ResourceGroupName myResourceGroup

HostName	Location	ServerPort	PublicPort	ProvisioningState	Version
-----	-----	-----	-----	-----	-----
mysignalr1.service.signalr.net	eastus	5002	5001	Succeeded	1.0
mysignalr2.service.signalr.net	eastus	5002	5001	Succeeded	1.0

----- Get a specific SignalR service -----

Get-AzSignalR -ResourceGroupName myResourceGroup -Name mysignalr1

HostName	Location	ServerPort	PublicPort	ProvisioningState	Version
-----	-----	-----	-----	-----	-----
mysignalr1.service.signalr.net	eastus	5002	5001	Succeeded	1.0

Get a specific SignalR service from the default resource group

Get-AzSignalR -Name mysignalr2

HostName	Location	ServerPort	PublicPort	ProvisioningState	Version
-----	-----	-----	-----	-----	-----
mysignalr2.service.signalr.net	eastus	5002	5001	Succeeded	1.0

The default resource group can be set by `Set-AzDefault -ResourceGroupName myResourceGroup`.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.signalr/get-azsignalr>