



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Get-AzSignalRKey'

PS:\>Get-HELP Get-AzSignalRKey -Full

NAME

Get-AzSignalRKey

SYNOPSIS

Get the access keys of a SignalR service.

SYNTAX

Get-AzSignalRKey [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.Commands.SignalR.Models.PSSignalRResource> [<CommonParameters>]

Get-AzSignalRKey [-Name] <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-ResourceGroupName <System.String>] [<CommonParameters>]

Get-AzSignalRKey [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-ResourceId

<System.String>

[<CommonParameters>]

DESCRIPTION

Get the access keys of a SignalR service.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.SignalR.Models.PSSignalRResource>

The SignalR resource object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

SignalR service name.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

The SignalR service resource ID.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.SignalR.Models.PSSignalRResource

OUTPUTS

Microsoft.Azure.Commands.SignalR.Models.PSSignalRKeys

NOTES

----- Get access keys of a specific SignalR service -----

```
Get-AzSignalRKey -ResourceGroupName myResourceGroup -Name mysignalr1
```

Name	:	mysignalr1	:
PrimaryKey	:	vmYRhoM62PMkNe/CSSPdMSxokn+WZEFmOQNt77PovDs=	PrimaryConnectionString

Endpoint=https://mysignalr1.service.signalr.net;AccessKey=vmYRhoM62PMkNe/CSSPdMSxokn+WZEFmOQNt77PovDs=;

SecondaryKey	:	2+HkxAA34xiZFFiDsVM0uDyzCsg6GKsdXSjN4C/YFQ=	SecondaryConnectionString
--------------	---	---	---------------------------

Endpoint=https://mysignalr1.service.signalr.net;AccessKey=2+HkxAA34xiZFFiDsVM0uDyzCsg6GKsdXSjN4C/YFQ=;

---- Get access keys from a SignalR service object in pipe ----

```
Get-AzSignalR -ResourceGroupName myResourceGroup -Name mysignalr1 | Get-AzSignalRKey
```

Name	:	mysignalr1	
PrimaryKey	:	vmYRhoM62PMkNe/CSSPdMSxokn+WZEFmOQNt77PovDs=	Page 4/5

PrimaryConnectionString

Endpoint=https://mysignalr1.service.signalr.net;AccessKey=vmYRhoM62PMkNe/CSSPdMSxokn+WZEFmO

QNt77PovDs=;

SecondaryKey : 2+HkuxAA34xiZFFiDsVM0uDyzCsg6GKsdXSjN4C/YFQ=

SecondaryConnectionString

Endpoint=https://mysignalr1.service.signalr.net;AccessKey=2+HkuxAA34xiZFFiDsVM0uDyzCsg6GKsd

XSjN4C/YFQ=;

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.signalr/get-azsignalrkey>