



Windows PowerShell Get-Help on Cmdlet 'Get-AzSqlDatabaseLedgerDigestUpload'

PS:\>Get-HELP Get-AzSqlDatabaseLedgerDigestUpload -Full

NAME

Get-AzSqlDatabaseLedgerDigestUpload

SYNOPSIS

Gets the ledger digest upload settings of an Azure SQL database.

SYNTAX

```
Get-AzSqlDatabaseLedgerDigestUpload [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-DatabaseName] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Get-AzSqlDatabaseLedgerDigestUpload [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Get-AzSqlDatabaseLedgerDigestUpload [-ResourceId] <System.String> [-DefaultProfile
```

```
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
```

[<CommonParameters>]

DESCRIPTION

The `Get-AzSqlDatabaseLedgerDigestUpload` cmdlet gets the ledger digest upload settings of the specified Azure SQL database.

PARAMETERS

`-DatabaseName <System.String>`

SQL Database name.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>`

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-InputObject <Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel>`

The database object to disable digest uploads for.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

The resource id of the database to disable digest uploads for.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerName <System.String>

SQL server name.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.LedgerDigestUploads.Model.AzureSqlDatabaseLedgerDigestUploadModel

NOTES

----- Example 1 -----

```
Get-AzSqlDatabaseLedgerDigestUpload -ResourceGroupName "ResourceGroup01" -ServerName "Server01"  
-DatabaseName "Database01"
```

ResourceGroupName	ServerName	DatabaseName	State	Endpoint
-------------------	------------	--------------	-------	----------

ResourceGroup01	Server01	Database01	Enabled	https://mystorage.blob.core.windows.net
-----------------	----------	------------	---------	---

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/get-azsqldatabaseledgerdigestupload>