



Windows PowerShell Get-Help on Cmdlet 'Get-AzSqlDatabaseReplicationLink'

PS:\>Get-HELP Get-AzSqlDatabaseReplicationLink -Full

NAME

Get-AzSqlDatabaseReplicationLink

SYNOPSIS

Gets the geo-replication links between an Azure SQL Database and a resource group or SQL Server.

SYNTAX

```
Get-AzSqlDatabaseReplicationLink [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-DatabaseName] <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-PartnerResourceGroupName <System.String> [-PartnerServerName
    <System.String>] [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Get-AzSqlDatabaseReplicationLink cmdlet replaces the Get-AzSqlDatabaseCopy cmdlet. It gets all geo-replication links between the specified Azure SQL Database and a resource group or AzureSQL Server.

PARAMETERS

-DatabaseName <System.String>

Specifies the name of the SQL Database for which to retrieve links.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PartnerResourceGroupName <System.String>

Specifies the name of the resource group to which the partner is assigned.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PartnerServerName <System.String>

Specifies the name of the Azure SQL Server for the partner.

Required? false

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? true

-ResourceGroupName <System.String>

Specifies the name of the Azure resource group for the database for which to retrieve links.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ServerName <System.String>

Specifies the name of the SQL Server for the database to retrieve links for.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.Replication.Model.AzureReplicationLinkModel

NOTES

----- Example 1 -----

```
Get-AzSqlDatabaseReplicationLink -DatabaseName db1 -PartnerResourceGroupName rg2 -ResourceGroupName  
MyResourceGroup -ServerName s1
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/get-azsqldatabasereplicationlink>

SQL Database Documentation <https://learn.microsoft.com/azure/sql-database/>