



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### **Windows PowerShell Get-Help on Cmdlet 'Get-AzSqlElasticJobPrivateEndpoint'**

**PS:\>Get-HELP Get-AzSqlElasticJobPrivateEndpoint -Full**

#### **NAME**

Get-AzSqlElasticJobPrivateEndpoint

#### **SYNOPSIS**

Gets one or more job private endpoints

#### **SYNTAX**

```
Get-AzSqlElasticJobPrivateEndpoint [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-AgentName] <System.String> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name <System.String>] [<CommonParameters>]
```

```
Get-AzSqlElasticJobPrivateEndpoint [-ElasticJobAgentObject] <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name <System.String>] [<CommonParameters>]
```

Get-AzSqlElasticJobPrivateEndpoint [-ElasticJobAgentResourceId] <System.String> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

<System.String>] [<CommonParameters>]

## DESCRIPTION

The Get-AzSqlElasticJobPrivateEndpoint cmdlet gets one or more job private endpoints

## PARAMETERS

-AgentName <System.String>

The agent name

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ElasticJobAgentObject <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel>

The agent object

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ElasticJobAgentResourceId <System.String>

The agent resource id

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Name <System.String>

The private endpoint name

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerName <System.String>

The server name

Required? true

Position?	1
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

#### INPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel

System.String

#### OUTPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobPrivateEndpointModel

#### NOTES

----- Example 1 -----

```
$agent = Get-AzSqlElasticJobAgent -ResourceGroupName rg -ServerName elasticjobserver -Name agent  
$agent | Get-AzSqlElasticJobPrivateEndpoint
```

```

PrivateEndpointName      : endpoint1
                                         TargetServerAzureResourceId   :

/subscriptions/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourceGroups/rg1/providers/Microsoft.Sql/servers/server1

PrivateEndpointId        : EJ_xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx_endpoint1
ResourceGroupName        : rg
ServerName               : elasticjobserver
AgentName                : agent
ResourceId               :
                                         :

/subscriptions/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourceGroups/rg/providers/Microsoft.Sql/servers/elasticjobserver/jo
bAgents/agent/privateEndpoints/endpoint1

Type                    : Microsoft.Sql/servers/jobAgents/privateEndpoints

```

Gets one or more job private endpoints by job agent

----- Example 2 -----

```

$agent = Get-AzSqlElasticJobAgent -ResourceGroupName rg -ServerName elasticjobserver -Name agent
$agent | Get-AzSqlElasticJobPrivateEndpoint -Name endpoint1

```

```

PrivateEndpointName      : endpoint1
                                         TargetServerAzureResourceId   :

/subscriptions/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourceGroups/rg1/providers/Microsoft.Sql/servers/server1

PrivateEndpointId        : EJ_xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx_endpoint1
ResourceGroupName        : rg
ServerName               : elasticjobserver
AgentName                : agent
ResourceId               :
                                         :

/subscriptions/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourceGroups/rg/providers/Microsoft.Sql/servers/elasticjobserver/jo
bAgents/agent/privateEndpoints/endpoint1

```

Type : Microsoft.Sql/servers/jobAgents/privateEndpoints

Gets one or more job private endpoints by name

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/get-azsqlelasticjobprivateendpoint>