



Windows PowerShell Get-Help on Cmdlet 'Get-AzSqlElasticJobTargetGroup'

PS:\>Get-HELP Get-AzSqlElasticJobTargetGroup -Full

NAME

Get-AzSqlElasticJobTargetGroup

SYNOPSIS

Gets one or more job target groups

SYNTAX

```
Get-AzSqlElasticJobTargetGroup [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-AgentName] <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name
<System.String>] [<CommonParameters>]
```

```
Get-AzSqlElasticJobTargetGroup [-ParentObject]
<Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name
<System.String>] [<CommonParameters>]
```

```
Get-AzSqlElasticJobTargetGroup [-ParentResourceId] <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name
```

<System.String>] [<CommonParameters>]

DESCRIPTION

The Get-AzSqlElasticJobTargetGroup cmdlet gets a target group and its targets

PARAMETERS

-AgentName <System.String>

The agent name

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The target group name

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ParentObject <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel>

The agent object

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ParentResourceId <System.String>

The agent resource id

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerName <System.String>

The server name

Required? true

Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel

OUTPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobTargetGroupModel

NOTES

----- Example 1 -----

```
$agent = Get-AzSqlElasticJobAgent -ResourceGroupName rg -ServerName elasticjobserver -Name agent  
$agent | Get-AzSqlElasticJobTargetGroup -Name tg1
```

TargetGroupName Targets

tg1 (s1,db1)

Gets a target group and it's targets

----- Example 2 -----

Get-AzSqlElasticJobTargetGroup -AgentName agent -Name tg1 -ResourceGroupName rg -ServerName elasticjobserver

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/Az.sql/get-Azsqlelasticjobtargetgroup>