



Windows PowerShell Get-Help on Cmdlet 'Get-AzSqlServerActiveDirectoryAdministrator'

PS:\>Get-HELP Get-AzSqlServerActiveDirectoryAdministrator -Full

NAME

Get-AzSqlServerActiveDirectoryAdministrator

SYNOPSIS

Gets information about a Microsoft Entra administrator for SQL Server.

SYNTAX

```
Get-AzSqlServerActiveDirectoryAdministrator [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Get-AzSqlServerActiveDirectoryAdministrator cmdlet gets information about a Microsoft Entra administrator for an AzureSQL Server in the current subscription.

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group to which the SQL Server is assigned.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerName <System.String>

Specifies the name of the SQL Server for which this cmdlet gets information.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.ServerActiveDirectoryAdministrator.Model.AzureSqlServerActiveDirectoryAdministratorModel

NOTES

Example 1: Gets information about an administrator for a server

```
Get-AzSqlServerActiveDirectoryAdministrator -ResourceGroupName "ResourceGroup01" -ServerName "Server01"
```

```
ResourceGroupName ServerName DisplayName ObjectID IsAzureADOnlyAuthentication
```

```
-----
```

```
ResourceGroup01 Server01 DBAs 40b79501-b343-44ed-9ce7-da4c8cc7353b true
```

This command gets information about a Microsoft Entra administrator for a server named Server01 that is associated with a resource group named ResourceGroup01.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/get-azsqlserveractivedirectoryadministrator>

[Remove-AzSqlServerActiveDirectoryAdministrator](#)

[Set-AzSqlServerActiveDirectoryAdministrator](#)

[Disable-AzSqlServerActiveDirectoryOnlyAuthentication](#)

SQL Database Documentation <https://learn.microsoft.com/azure/sql-database/>