



Windows PowerShell Get-Help on Cmdlet 'Get-AzSqlServerMSSupportAudit'

PS:\>Get-HELP Get-AzSqlServerMSSupportAudit -Full

NAME

Get-AzSqlServerMSSupportAudit

SYNOPSIS

Gets the Microsoft support operations auditing settings of an Azure SQL server.

SYNTAX

```
Get-AzSqlServerMSSupportAudit [-ResourceGroupName] <System.String> [-ServerName] <System.String> [-AsJob]
[-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

```
Get-AzSqlServerMSSupportAudit [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ServerObject
<Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel> [<CommonParameters>]
```

DESCRIPTION

The Get-AzSqlServerMSSupportAudit cmdlet gets the Microsoft support operations auditing settings of an Azure SQL

server. Specify the ResourceGroupName and ServerName parameters to identify the server.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerName <System.String>

SQL server name.

Required?	true
Position?	1
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ServerObject <Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel>

The server object to manage its audit policy.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel

OUTPUTS

Microsoft.Azure.Commands.Sql.Auditing.Model.ServerDevOpsAuditModel

NOTES

Example 1: Get the Microsoft support operations auditing settings of an Azure SQL server

```
Get-AzSqlServerMSSupportAudit -ResourceGroupName "resourcegroup01" -ServerName "server01"
```

```
ServerName          : server01
ResourceGroupName    : resourcegroup01
BlobStorageTargetState : Enabled
StorageAccountResourceId :
```

```
/subscriptions/7fe3301d-31d3-4668-af5e-211a890ba6e3/resourceGroups/resourcegroup01/providers/Microsoft.Storage/storageAccounts/mystorage
```

```
EventHubTargetState : Enabled
EventHubName         : eventHubName
EventHubAuthorizationRuleResourceId : EventHubAuthorizationRuleResourceId
LogAnalyticsTargetState : Enabled
WorkspaceResourceId  :
```

```
"/subscriptions/4b9e8510-67ab-4e9a-95a9-e2f1e570ea9c/resourceGroups/insights-integration/providers/Microsoft.Operation/insights/workspaces/viruela2"
```

Example 2: Get, through pipeline, the Microsoft support operations auditing settings of an Azure SQL server

```
Get-AzSqlServer -ResourceGroupName "ResourceGroup01" -ServerName "Server01" |
```

```
Get-AzSqlServerMSSupportAudit
```

```
ServerName : server01
```

```
ResourceGroupName : resourcegroup01
```

```
BlobStorageTargetState : Enabled
```

```
StorageAccountResourceId :
```

```
/subscriptions/7fe3301d-31d3-4668-af5e-211a890ba6e3/resourceGroups/resourcegroup01/providers/Microsoft.Storage/storageAccounts/mystorage
```

```
EventHubTargetState : Enabled
```

```
EventHubName : eventHubName
```

```
EventHubAuthorizationRuleResourceId : EventHubAuthorizationRuleResourceId
```

```
LogAnalyticsTargetState : Enabled
```

```
WorkspaceResourceId :
```

```
"/subscriptions/4b9e8510-67ab-4e9a-95a9-e2f1e570ea9c/resourceGroups/insights-integration/providers/Microsoft.OperationInsights/workspaces/viruela2"
```

Example 3: Get the Microsoft support operations auditing settings of an Azure SQL server

```
Get-AzSqlServerMSSupportAudit -ResourceGroupName "resourcegroup01" -ServerName "server01"
```

```
ServerName : server01
```

```
ResourceGroupName : resourcegroup01
```

```
BlobStorageTargetState : Enabled
```

```
StorageAccountResourceId :
```

```
/subscriptions/7fe3301d-31d3-4668-af5e-211a890ba6e3/resourceGroups/resourcegroup01/providers/Microsoft.Storage/storageAccounts/mystorage
```

EventHubTargetState : Enabled
EventHubName : eventHubName
EventHubAuthorizationRuleResourceId : EventHubAuthorizationRuleResourceId
LogAnalyticsTargetState : Disabled
WorkspaceResourceId :

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/Get-AzSqlServerMSSupportAudit>