



Windows PowerShell Get-Help on Cmdlet 'Get-AzStorageAccountMigration'

PS:\>Get-HELP Get-AzStorageAccountMigration -Full

NAME

Get-AzStorageAccountMigration

SYNOPSIS

Gets the status of the ongoing migration for the specified storage account.

SYNTAX

```
Get-AzStorageAccountMigration -AccountName <String> -ResourceGroupName <String> [-SubscriptionId <String[]>]
[-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials]
[<CommonParameters>]
```

```
Get-AzStorageAccountMigration -InputObject <IStorageIdentity> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials]
[<CommonParameters>]
```

DESCRIPTION

Gets the status of the ongoing migration for the specified storage account.

PARAMETERS

-AccountName <String>

The name of the storage account within the specified resource group.

Storage account names must be between 3 and 24 characters in length and use numbers and lower-case letters only.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group within the user's subscription.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String[]>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-InputObject <IStorageIdentity>

Identity Parameter

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.Storage.Models.IStorageIdentity

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Storage.Models.IStorageAccountMigration

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run `Get-Help about_Hash_Tables`.

INPUTOBJECT <IStorageIdentity>: Identity Parameter

[AccountName <String>]: The name of the storage account within the specified resource group. Storage account

names must be between 3 and 24 characters in length

and use numbers and lower-case letters only.

[BlobInventoryPolicyName <String>]: The name of the storage account blob inventory policy. It should always be 'default'

[DeletedAccountName <String>]: Name of the deleted storage account.

[EncryptionScopeName <String>]: The name of the encryption scope within the specified storage account. Encryption scope names must be between 3 and 63

characters in length and use numbers, lower-case letters and dash (-) only. Every dash (-) character must be immediately preceded and followed by a letter or number.

[Id <String>]: Resource identity path

[Location <String>]: The location of the deleted storage account.

[ManagementPolicyName <String>]: The name of the Storage Account Management Policy. It should always be 'default'

[MigrationName <String>]: The name of the Storage Account Migration. It should always be 'default'

[ObjectReplicationPolicyId <String>]: For the destination account, provide the value 'default'. Configure the policy on the destination account first. For the

source account, provide the value of the policy ID that is returned when you download the policy that was defined on the destination account. The policy is

downloaded as a JSON file.

[PrivateEndpointConnectionName <String>]: The name of the private endpoint connection associated with the Azure resource

[ResourceGroupName <String>]: The name of the resource group within the user's subscription. The name is case insensitive.

[SubscriptionId <String>]: The ID of the target subscription.

[Username <String>]: The name of local user. The username must contain lowercase letters and numbers only. It must be unique only within the storage account.

----- EXAMPLE 1 -----

```
PS C:\>Get-AzStorageAccountMigration -AccountName myaccount -ResourceGroupName myresroucegroup
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.storage/get-azstorageaccountmigration>