



Windows PowerShell Get-Help on Cmdlet 'Get-AzSupportTicketsNoSubscription'

PS:\>Get-HELP Get-AzSupportTicketsNoSubscription -Full

NAME

Get-AzSupportTicketsNoSubscription

SYNOPSIS

Gets details for a specific support ticket.

Support ticket data is available for 18 months after ticket creation.

If a ticket was created more than 18 months ago, a request for data might cause an error.

If no parameters are specified, then this command will retrieve all tickets created in the last week by default.

SYNTAX

```
Get-AzSupportTicketsNoSubscription [-Filter <String>] [-Top <Int32>] [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>]
    [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [<CommonParameters>]
```

```
Get-AzSupportTicketsNoSubscription -SupportTicketName <String> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
    <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials]
[<CommonParameters>]
```

```

Get-AzSupportTicketsNoSubscription -InputObject <ISupportIdentity> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
    <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials]
[<CommonParameters>]

```

DESCRIPTION

Gets details for a specific support ticket.

Support ticket data is available for 18 months after ticket creation.

If a ticket was created more than 18 months ago, a request for data might cause an error.

If no parameters are specified, then this command will retrieve all tickets created in the last week by default.

PARAMETERS

-SupportTicketName <String>

Support ticket name.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-InputObject <ISupportIdentity>

Identity Parameter

To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-Filter <String>

The filter to apply on the operation.

We support 'odata v4.0' filter semantics.

[Learn more](https://docs.microsoft.com/odata/concepts/queryoptions-overview)

<i>Status</i> , <i>ServiceId</i>, and

<i>ProblemClassificationId</i> filters can only be used with 'eq' operator.

For <i>CreatedDate</i> filter, the supported operators are 'gt' and 'ge'.

When using both filters, combine them using the logical 'AND'.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Top <Int32>

The number of values to return in the collection.

Default is 25 and max is 100.

Required? false

Position? named

Default value 0

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.Support.Models.ISupportIdentity

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Support.Models.ISupportTicketDetails

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

about_Hash_Tables.

INPUTOBJECT <ISupportIdentity>: Identity Parameter To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

[ChatTranscriptName <String>]: ChatTranscript name.

[CommunicationName <String>]: Communication name.

[FileName <String>]: File Name

[FileWorkspaceName <String>]: File Workspace Name

[Id <String>]: Resource identity path

[ProblemClassificationName <String>]: Name of problem classification.

[ServiceName <String>]: Name of the Azure service.

[SubscriptionId <String>]: The ID of the target subscription. The value must be an UUID.

[SupportTicketName <String>]: Support ticket name.

----- EXAMPLE 1 -----

PS C:\>Get-AzSupportTicketsNoSubscription

----- EXAMPLE 2 -----

```
PS C:\>Get-AzSupportTicketsNoSubscription -SupportTicketName "test1-5dda17d0-a60d-4f4c-82e3-0fe3604c0ed4"
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.support/get-azsupportticketsnosubscription>