



Windows PowerShell Get-Help on Cmdlet 'Get-AzSynapseIntegrationRuntimeKey'

PS: \>Get-HELP Get-AzSynapseIntegrationRuntimeKey -Full

NAME

Get-AzSynapseIntegrationRuntimeKey

SYNOPSIS

Gets keys for a self-hosted integration runtime.

SYNTAX

```

Get-AzSynapseIntegrationRuntimeKey [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.Synapse.Models.PSIntegrationRuntime> [<CommonParameters>]

Get-AzSynapseIntegrationRuntimeKey [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>

[-ResourceGroupName <System.String>] -WorkspaceName <System.String> [<CommonParameters>]

```

```

Get-AzSynapseIntegrationRuntimeKey [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>

```

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [<CommonParameters>]

Get-AzSynapseIntegrationRuntimeKey [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId

<System.String> [<CommonParameters>]

DESCRIPTION

The Get-AzSynapseIntegrationRuntimeKey cmdlet gets keys for an integration runtime. The keys are used to register an integration runtime node.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Synapse.Models.PSIntegrationRuntime>

The integration runtime object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

The integration runtime name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse integration runtime.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

Microsoft.Azure.Commands.Synapse.Models.PSIntegrationRuntime

OUTPUTS

Microsoft.Azure.Commands.Synapse.Models.PSIntegrationRuntimeKeys

NOTES

----- Example 1 -----

```
Get-AzSynapseIntegrationRuntimeKey -WorkspaceName ContosoWorkspace -Name 'test-selfhost-ir'
```

The cmdlet retrieves keys for an integration runtime named 'test-selfhost-ir'.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/get-azsynapseintegrationruntimekey>