



Windows PowerShell Get-Help on Cmdlet 'Get-AzSynapseManagedIdentitySqlControlSetting'

PS:\>Get-HELP Get-AzSynapseManagedIdentitySqlControlSetting -Full

NAME

Get-AzSynapseManagedIdentitySqlControlSetting

SYNOPSIS

Gets Managed Identity Sql Control Settings.

SYNTAX

```
Get-AzSynapseManagedIdentitySqlControlSetting [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-ResourceGroupName <System.String>] -WorkspaceName <System.String> [<CommonParameters>]

Get-AzSynapseManagedIdentitySqlControlSetting [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String> [<CommonParameters>]

Get-AzSynapseManagedIdentitySqlControlSetting [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [<CommonParameters>]
```

DESCRIPTION

The Get-AzSynapseManagedIdentitySqlControlSetting cmdlet gets the managed identity SQL control settings of an Azure Synapse Analytics workspace.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

OUTPUTS

Microsoft.Azure.Commands.Synapse.Models.PSManagedIdentitySqlControlSettingsModel

NOTES

----- Example 1 -----

```
Get-AzSynapseManagedIdentitySqlControlSetting -WorkspaceName ContosoWorkspace
```

This command gets the managed identity SQL control setting for a workspace.

----- Example 2 -----

```
$ws = Get-AzSynapseWorkspace -Name ContosoWorkspace
```

```
$ws | Get-AzSynapseManagedIdentitySqlControlSetting
```

This command gets the managed identity SQL control setting for a workspace through pipeline.

----- Example 3 -----

```
Get-AzSynapseManagedIdentitySqlControlSetting -ResourceId
```

```
'/subscriptions/21686af7-58ec-4f4d-9c68-f431f4db4edd3/resourcegroups/ContosoResourceGroup/providers/Microsoft.Synapse/workspaces/ContosoWorkspace'
```

This command gets the managed identity SQL control setting for a workspace through workspace resource ID.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.synapse/get-azsynapsemanagedidentitysqlcontrolsetting>