



Windows PowerShell Get-Help on Cmdlet 'Get-AzSynapseNotebook'

PS: \>Get-HELP Get-AzSynapseNotebook -Full

NAME

Get-AzSynapseNotebook

SYNOPSIS

Gets information about notebooks in a workspace.

SYNTAX

```

Get-AzSynapseNotebook [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name
<System.String>]
-WorkspaceName <System.String> [<CommonParameters>]
```

```

Get-AzSynapseNotebook [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Name
<System.String>]
-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [<CommonParameters>]
```

DESCRIPTION

The Get-AzSynapseNotebook cmdlet gets information about notebooks in a workspace. If you specify the name of a notebook, the cmdlet gets information about that

notebook. If you do not specify a name, the cmdlet gets information about all notebooks in the workspace.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The notebook name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

OUTPUTS

Microsoft.Azure.Commands.Synapse.Models.PSNotebookResource

NOTES

----- Example 1 -----

WorkspaceName	Properties	Name
-----	-----	--
ContosoWorkspace	Microsoft.Azure.Commands.Synapse.Models.PSNotebook	ContosoNotebook1
ContosoWorkspace	Microsoft.Azure.Commands.Synapse.Models.PSNotebook	ContosoNotebook2

Gets a list of all notebooks in the workspace ContosoWorkspace.

----- Example 2 -----

```
Get-AzSynapseNotebook -WorkspaceName ContosoWorkspace -Name ContosoNotebook
```

Gets a single notebook called ContosoNotebook in the workspace ContosoWorkspace.

----- Example 3 -----

```
$ws = Get-AzSynapseWorkspace -Name ContosoWorkspace
```

```
$ws | Get-AzSynapseNotebook -Name ContosoNotebook
```

Gets a single notebook called ContosoNotebook in the workspace ContosoWorkspace through pipeline.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/get-azsynapsenotebook>