



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### **Windows PowerShell Get-Help on Cmdlet 'Get-AzSynapseSqlAuditSetting'**

**PS:\>Get-HELP Get-AzSynapseSqlAuditSetting -Full**

#### **NAME**

Get-AzSynapseSqlAuditSetting

#### **SYNOPSIS**

Gets the auditing settings of an Azure Synapse Analytics Workspace.

#### **SYNTAX**

Get-AzSynapseSqlAuditSetting [[-ResourceGroupName] <System.String>] [-WorkspaceName] <System.String> [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[<CommonParameters>]

Get-AzSynapseSqlAuditSetting [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> -ResourceId

<System.String> [<CommonParameters>]

Get-AzSynapseSqlAuditSetting [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> -WorkspaceObject

<Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [<CommonParameters>]

## DESCRIPTION

The Get-AzSynapseSqlAuditSetting cmdlet gets the auditing settings of an Azure Synapse Analytics Workspace.

## PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

## OUTPUTS

Microsoft.Azure.Commands.Synapse.Models.WorkspaceAuditModel

## NOTES

----- Example 1 -----

```
Get-AzSynapseSqlAuditSetting -WorkspaceName ContosoWorkspace
```

Gets the auditing settings of a workspace named ContosoWorkspace.

----- Example 2 -----

```
Get-AzSynapseWorkspace -Name ContosoWorkspace | Get-AzSynapseSqlAuditSetting
```

Gets the auditing settings of a workspace named ContosoWorkspace through pipeline.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/get-azsynapsesqlauditsetting>

Page 4/5

