



## ***Windows PowerShell Get-Help on Cmdlet 'Get-AzSynapseSqlPoolRestorePoint'***

***PS:\>Get-HELP Get-AzSynapseSqlPoolRestorePoint -Full***

### NAME

Get-AzSynapseSqlPoolRestorePoint

### SYNOPSIS

Retrieves the distinct restore points from which a Synapse Analytics SQL pool can be restored.

### SYNTAX

```
Get-AzSynapseSqlPoolRestorePoint [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject  
<Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool> [<CommonParameters>]  
  
Get-AzSynapseSqlPoolRestorePoint [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>  
  
[-ResourceGroupName <System.String>] -WorkspaceName <System.String> [<CommonParameters>]
```

```
Get-AzSynapseSqlPoolRestorePoint [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>
```

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [<CommonParameters>]

Get-AzSynapseSqlPoolRestorePoint [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId

<System.String> [<CommonParameters>]

## DESCRIPTION

The Get-AzSynapseSqlPoolRestorePoint cmdlet retrieves the distinct restore points that an Azure Synapse Analytics SQL pool can be restored from.

## PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>

SQL pool input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Name of Synapse SQL pool.

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse SQL Pool.

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool

#### OUTPUTS

Microsoft.Azure.Management.Synapse.Models.RestorePoint

#### NOTES

----- Example 1 -----

```
Get-AzSynapseSqlPoolRestorePoint -ResourceGroupName ContosoResourceGroup -WorkspaceName  
ContosoWorkspace -Name ContosoSqlPool
```

This command returns all available restore points for the Azure Synapse Analytics SQL pool named ContosoSqlPool.

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/get-azsynapsesqlpoolrestorepoint>