



Windows PowerShell Get-Help on Cmdlet 'Get-AzSynapseSqlVulnerabilityAssessmentSetting'

PS:\>Get-HELP Get-AzSynapseSqlVulnerabilityAssessmentSetting -Full

NAME

Get-AzSynapseSqlVulnerabilityAssessmentSetting

SYNOPSIS

Gets the vulnerability assessment settings of a workspace.

SYNTAX

```
Get-AzSynapseSqlVulnerabilityAssessmentSetting [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-InputObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [<CommonParameters>]
```

```
Get-AzSynapseSqlVulnerabilityAssessmentSetting [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-ResourceGroupName <System.String>] -WorkspaceName <System.String> [<CommonParameters>]
```

```
Get-AzSynapseSqlVulnerabilityAssessmentSetting [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String> [<CommonParameters>]
```

DESCRIPTION

The `Get-AzSynapseSqlVulnerabilityAssessmentSetting` cmdlet gets the vulnerability assessment settings of an Azure Synapse Analytics workspace.

PARAMETERS

`-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>`

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-InputObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>`

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

`-ResourceGroupName <System.String>`

Resource group name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

OUTPUTS

Microsoft.Azure.Commands.Synapse.Models.VulnerabilityAssessmentSettingsModel

NOTES

----- Example 1 -----

```
Get-AzSynapseSqlVulnerabilityAssessmentSetting -WorkspaceName ContosoWorkspace
```

This command gets the vulnerability assessment settings of a workspace called ContosoWorkspace.

----- Example 2 -----

```
Get-AzSynapseWorkspace -Name ContosoWorkspace | Get-AzSynapseSqlVulnerabilityAssessmentSetting
```

This command gets the vulnerability assessment settings of a workspace called ContosoWorkspace through pipeline.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.synapse/get-azsynapsesqlvulnerabilityassessmentsetting>