



Windows PowerShell Get-Help on Cmdlet 'Get-AzSynapseTrigger'

PS: \>Get-HELP Get-AzSynapseTrigger -Full

NAME

Get-AzSynapseTrigger

SYNOPSIS

Gets information about triggers in a workspace.

SYNTAX

```
Get-AzSynapseTrigger [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Name  
<System.String>]  
-WorkspaceName <System.String> [<CommonParameters>]
```

```
Get-AzSynapseTrigger [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Name  
<System.String>]  
-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [<CommonParameters>]
```

DESCRIPTION

The Get-AzSynapseTrigger cmdlet gets information about triggers in a workspace. If you specify the name of a trigger, the cmdlet gets information about that trigger.

If you do not specify a name, the cmdlet gets information about all triggers in the workspace.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The trigger name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

OUTPUTS

Microsoft.Azure.Commands.Synapse.Models.PSTriggerResource

NOTES

----- Example 1 -----

Gets a list of all triggers that have been created in the workspace ContosoWorkspace.

----- Example 2 -----

```
Get-AzSynapseTrigger -WorkspaceName ContosoWorkspace -Name ContosoTrigger
```

Gets a single trigger called ContosoTrigger in the workspace ContosoWorkspace.

----- Example 3 -----

```
$ws = Get-AzSynapseWorkspace -Name ContosoWorkspace
```

```
$ws | Get-AzSynapseTrigger -Name ContosoTrigger
```

Gets a single trigger called ContosoTrigger in the workspace ContosoWorkspace through pipeline.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/get-azsynapsetrigger>