



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Get-AzVirtualRouterPeer'***

**PS:\>Get-HELP Get-AzVirtualRouterPeer -Full**

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

#### **NAME**

Get-AzVirtualRouterPeer

#### **SYNOPSIS**

Gets a VirtualRouter peer in an Azure VirtualRouter

#### **SYNTAX**

Get-AzVirtualRouterPeer	<b>[-DefaultProfile &lt;Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer&gt;]</b>	<b>[-DefaultProfile]</b>
<System.String>		<b>-PeerName</b>
-ResourceGroupName <System.String> -VirtualRouterName <System.String> [<CommonParameters>]		

Get-AzVirtualRouterPeer	<b>[-DefaultProfile &lt;Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer&gt;]</b>	<b>[-DefaultProfile]</b>
<System.String>		<b>-ResourceId</b>

[<CommonParameters>]

## DESCRIPTION

The Get-AzVirtualRouterPeer cmdlet gets a Peer in an Azure VirtualRouter

## PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PeerName <System.String>

The name of the virtual router peer.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? true

-ResourceGroupName <System.String>

The resource group name of the virtual router.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? true

-ResourceId <System.String>

ResourceId of the virtual router.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-VirtualRouterName <System.String>

The name of the virtual router.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? true

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

System.String

## OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSVirtualRouterPeer

Page 3/4

## NOTES

----- Example 1 -----

```
Get-AzVirtualRouterPeer -ResourceGroupName virtualRouterRG -VirtualRouterName virtualRouter -PeerName csr
```

----- Example 2 -----

```
$virtualRouterPeerId =
```

```
'/subscriptions/8c992d64-fce9-426d-b278-85642dfeab03/resourceGroups/virtualRouterRG/providers/Microsoft.Network/virtualRouters/virtualRouter/peerings/csr'
```

```
Get-AzVirtualRouterPeer -ResourceId $virtualRouterPeerId
```

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/get-azvirtualrouterpeer>