



Windows PowerShell Get-Help on Cmdlet 'Get-AzWebAppBackupConfiguration'

PS:\>Get-HELP Get-AzWebAppBackupConfiguration -Full

NAME

Get-AzWebAppBackupConfiguration

SYNOPSIS

SYNTAX

```
Get-AzWebAppBackupConfiguration [-ResourceGroupName] <System.String> [-Name] <System.String> [[-Slot]
<System.String>] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

```
Get-AzWebAppBackupConfiguration [-WebApp] <Microsoft.Azure.Commands.WebApps.Models.PSSite> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

DESCRIPTION

The Get-AzWebAppBackupConfiguration cmdlet gets the backup configuration of an Azure Web App.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

WebApp Name

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Slot <System.String>

Slot Name

Required? false
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-WebApp <Microsoft.Azure.Commands.WebApps.Models.PSSite>

WebApp Name

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.WebApps.Models.PSSite

OUTPUTS

Microsoft.Azure.Commands.WebApps.Cmdlets.WebApps.AzureWebAppBackupConfiguration

NOTES

----- Example 1 -----

```
Get-AzWebAppBackupConfiguration -ResourceGroupName "Default-Web-WestUS" -Name "WebAppStandard"
```

This command gets the backup configuration from the Web App named WebAppStandard that belongs to the resource group Default-Web-WestUS.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.websites/get-azwebappbackupconfiguration>